









*“Oracle Exadata enabled seamless and rapid migration of our cloud-based, integrated business applications, required no major modifications, and helped us reduce costs. With Oracle, we dramatically improved our batch processing speed by 241x and overall system performance by 3x, enabling us to improve operating efficiency for our daily, critical tasks and to enhance customer service.”*

- *Kyoji Kato*  
Executive Officer and GM  
Daiwa House

*“Oracle Exadata Database Machine is helping to transform our business. Our SAP environment, one of the world’s largest, can now support twice as much throughput with improved stability.”*

- *Milt Simonds*  
Director, Enterprise Platform Delivery  
AmerisourceBergen Corporation

Storage Server contains eight 6.4 TB state-of-the-art Flash Accelerator F640 NVMe PCI flash drives, offering 51.2TB raw flash capacity per EF Storage Server. Exadata X7 uses state-of-the-art flash technology for improved speed, power efficiency, and endurance compared to previous generations of Flash. The enterprise grade flash used in Exadata X7 have an expected endurance of 8 years or more for typical database workloads. This is very different from consumer grade flash that can potentially experience performance degradations or fail unexpectedly after a few years of usage. In addition, Exadata delivers ultra-high performance by placing the flash devices directly on the high speed PCI bus rather than behind slow disk controllers and directors. Finally, Exadata flash uses state-of-the-art **NVMe** (Non-Volatile Memory Express) flash to achieve extremely low latency and CPU overhead.

Flash performance is often limited and bottlenecked by traditional storage architecture. In contrast, Exadata uses a combination of scale-out storage, InfiniBand networking, database offload, and PCI flash to deliver extremely high performance rates from flash. A traditional full rack Exadata Database Machine X7-2, with 8 database servers and 14 Extreme Flash storage servers, can achieve up to **350 GB per second of analytic scan bandwidth from SQL**, and **0.25 ms Database I/O latency at 3.5 Million Flash IOPS** when running database workloads. A slightly different full rack combination, with 10 database servers and 12 Extreme Flash storage servers, can achieve up to **5.97 Million random 8K database read and 5.4 Million random 8K flash write I/O operations per second (IOPS)**, which is an industry record for database workloads.

This performance is orders of magnitude faster than traditional storage array architectures, and is also much faster than current all-flash storage arrays. It is important to note that these are real-world end-to-end performance figures measured running SQL workloads with standard 8K database I/O sizes inside a single rack Exadata system. Storage vendor performance quotes are usually based on small I/O sizes and low-level IO tools and therefore are many times higher than can be achieved from SQL.



Fig 2: Flash Accelerator PCIe Card

## High Capacity Storage Server: Tiered Disk and Flash Deliver Cost of Disk with Performance of Flash

The second Exadata storage option is the Exadata X7-2 **High Capacity (HC) Storage Server**. This server includes twelve 10 TB SAS disk drives with 120 TB total raw disk capacity. It also has four Flash Accelerator F640 NVMe PCIe cards with a total raw capacity of 25.6 TB of flash memory. Exadata flash in a High Capacity Storage Server can be used directly as flash disks, but is almost always configured as a flash cache (**Exadata Smart Flash Cache**) in front of disk storage since caching provides flash level performance for much more data than fits directly into flash.

Exadata Smart Flash Cache automatically caches frequently accessed data while keeping infrequently accessed data on disk. This provides the performance of flash with the capacity and low cost of disk. The Exadata Smart Flash Cache **uniquely** understands database workloads and knows when to avoid caching data that the database will rarely access or is too big to fit in the cache. For example, Exadata doesn't cache I/Os caused by backups, large table scans, or temporary results that will be quickly deleted. In addition to automatic caching, administrators can optionally provide SQL directives to ensure that specific tables, indexes, or partitions are preferentially retained in the flash cache. A single full rack Exadata Database Machine X7-2, with 8 database servers and 14 High Capacity storage servers can achieve up to **350 GB per second of analytic scan bandwidth from SQL**, and up to **4.8 Million random 8K read I/O operations per second (IOPS) from SQL**, and **0.25 ms I/O latency at 2.7 Million flash IOPS** when running database workloads.

Exadata's Smart Flash Cache is designed to deliver flash-level I/O rates and response times for data that is many times larger than the physical flash capacity in the machine by moving active data into flash, while leaving cold data on disk. It is common for hit rates in the Exadata Smart Flash Cache to be over 95%, or even 99% in real-world database workloads even though flash capacity is more than 4 times smaller than disk capacity. Such high flash cache hit rates mean that Exadata Smart Flash Cache provides an **effective flash capacity** that is many times larger than the physical flash. For example, a full rack Exadata Database Machine X7-2 with 8 database servers and 14 High Capacity Storage Servers often has an effective flash capacity equal to the usable disk capacity of 500 TB.

The Exadata Smart Flash cache also caches database block writes using Exadata Write Back Flash Cache technology. Write caching eliminates disk bottlenecks in large scale OLTP and batch workloads. The flash write capacity of a single full rack Exadata Database Machine X7-2 with 8 database servers and 14 High Capacity Storage Servers exceeds **4.3 Million 8K write I/Os per second**. The Exadata write cache is transparent, persistent, and fully redundant. The I/O performance of the Exadata Smart Flash Cache is comparable to dozens of enterprise disk arrays with thousands of disk drives.

The automatic data tiering between RAM, flash and disk implemented in Exadata provides tremendous advantages over other flash-based solutions. Many storage vendors have recognized that the architecture of their traditional storage arrays inherently bottleneck the performance of flash and therefore have developed new flash-only arrays. These flash-only arrays deliver higher performance than traditional arrays but give up the cost advantages of smart tiering of data between disk and flash. Therefore the overall size of data that benefits from flash is limited to the size of

*"We chose Oracle Exadata because it offered a complete solution ... we've created daily financial reports 4x faster and liquidity risk reports 7x faster to consistently meet our service-level agreement, improved credit risk management, and reduced our data center footprint."*

- Vaibhav Samant  
Senior Vice President, IT  
HDFC Bank Ltd.

*"None of the reports takes more than 10 minutes. It was taking 3-4 hours before, now it completes in 3 minutes. It sounds like unreal but it is real."*

- Finance User  
Turkcell













configuration to transparently maintain a real-time copy of the database at a remote site and provide full protection against primary database failures and site disasters.

Exadata in an MAA configuration is recognized by the analyst firm IDC as a system that **delivers at least 5-nines availability** and is categorized in the IDC AL4 fault-tolerant market segment, along with HP Integrity NonStop and IBM z Systems<sup>1</sup>.

The Exadata principle of deep hardware and software integration is also evident in the many ways Exadata **uniquely** assures high availability across several different failure conditions. One such **unique** capability is **Instant Detection of Compute and Storage Server Failures**. On non-Exadata platforms, detecting a server failure requires waiting for a long timeout, leading to extended application brownouts. Exadata leverages InfiniBand integration to very quickly determine that the suspect server is not reachable through any network path and can immediately initiate eviction of the failed server from the cluster. This entire operation can be completed in less than 2 seconds, leading to virtual elimination of application brownout conditions.

Disk and flash devices occasionally exhibit very long latency IO operations due to internal recovery of failed sectors, internal firmware reboots, or wear leveling. These long IO operations can cause stalls in mission critical OLTP databases. With Exadata's **unique I/O Latency Capping**, Oracle Exadata System software automatically redirects read I/O operations to an ASM-mirrored copy of the data when the latency of a read I/O is much longer than expected. Similarly, it automatically redirects high latency write I/O operations to a healthy flash device, eliminating write outliers. If disks do fail, ASM performs a rebalance operation for the data that was resident on the disk. Exadata allows hot swapping of disks, fans, power supplies, and PCIe flash cards to avoid downtime. Exadata System software takes rebalance one step further by preserving the flash cache population and storage indexes when moving data between storage servers to maintain consistent application performance. On rare occasions when there are outliers within the networking subsystem, Exadata redirects the I/O issued by the database server to another storage server.

Because of its industry leading availability, the Exadata Database Machine has been deployed by leading companies for their most critical applications including interbank fund transfers, online securities trading, real-time call tracking, and web-based retailing. Exadata's Mission Critical availability capabilities are not restricted to OLTP workloads; they also apply to warehousing and analytics.

## Ideal Platform for Database as a Service

The Exadata Database Machine can host many databases, enabling massive database consolidation or a sophisticated Database as a Service private cloud. Multi-database environments inherently have diverse, complex, and unpredictable workloads mixing OLTP, analytics, and batch operations with sequential and random access patterns. Exadata's ability to **run any type or mix of database workloads with industry leading scalability and performance** makes it an ideal consolidation platform – whether for multi-database workloads, or for pluggable databases with Oracle Multitenant in Oracle Database 12c.

*“By consolidating 350 database servers and storage systems onto Oracle Exadata, we gained a high-performance, reliable, and scalable mobile billing platform, enabling us to calculate billings data 10x faster, and halve maintenance costs.”*

- Tomoki Shimamura  
Senior Manager Billing Systems Group  
NTT DoCoMo, Inc.

*“By integrating 20 legacy database servers for our investment trust sales system into*

<sup>1</sup> Worldwide Fault-Tolerant Servers Market Shares, 2014: *Vendors Are Hearing the Customer — More Bold Moves Needed to Grow the Segment*, IDC, Peter Rutter, Lloyd Cohen, October 2015

*four Oracle Exadata Database Machines, we can provide information to customers 136x faster, enhance our competitive advantage, and support transaction growth for the next 10 years at lower costs.”*

- Tomoshiro Takemoto  
Senior Managing Director  
Cloud Computing Service Division  
Nomura Research Institute Ltd.

Multi-database environments create an inherent risk that one database will consume too many resources and therefore impact the quality of service of other databases. The Exadata Database Machine **uniquely** provides **end-to-end prioritization** from the application to database CPUs, network, and storage. Priorities and resource limits can be specified at the physical database, pluggable database, connection, application, user, or even job level to ensure that each of the consolidated databases or SQL operations receives the necessary resources and achieves the target response times.

Exadata **uniquely** implements **database and I/O resource management**. Fine-grained priorities specified for operations at the database level are automatically communicated to Exadata Storage Servers and applied to each I/O operation to ensure that prioritization of database operations applies to both CPU operations and I/O operations. The same resource management principles can also be applied when multiple databases are deployed on one Exadata rack, as is typical in a consolidated private cloud.

Exadata also **uniquely** implements **database network resource management** to ensure that network intensive workloads such as reporting, batch, and backups don't stall response time sensitive interactive workloads. Latency sensitive network operations such as RAC Cache Fusion communication and log file writes are automatically moved to the head of the message queue in server and storage network cards as well as InfiniBand network switches, bypassing any non-latency sensitive messages. Latency critical messages even jump ahead of non-latency critical messages that have already been partially sent across the network, ensuring low response times even in the presence of large network DMA (Direct Memory Access) operations.

Because of Exadata's unique Consolidation and Database as a Service capabilities, Exadata is the **only** platform that can support up to 4000 Pluggable Databases within a single Oracle Multitenant Container Database.

## Fast Deployment of Development and Test Databases with Exadata Snapshots

Space-efficient database snapshots can be quickly created for test and development purposes directly on Exadata. Exadata database snapshots are integrated with Oracle Multitenant to provide an extremely simple interface for creating new pluggable database (PDB) snapshots.

Snapshots start with a shared read-only copy of the production database (or PDB) that has been cleansed of sensitive information. A hierarchy of read-write snapshots can be created from this shared copy. As changes are made, each snapshot writes the changed blocks to a sparse disk group. Since multiple users can create independent snapshots from the same base database copy, multiple test and development environments can share space while maintaining independent databases for each task.

All Exadata specific features such as Smart Scan, resource management and Smart Flash Cache work seamlessly on database instances created via Exadata snapshots, hence providing an exact test and development environment while using a fraction of valuable storage resources. Backups of snapshots on Exadata are also space efficient as only the changed information is backed up.

*“With Oracle Platinum Services, we achieved a 40% increase in operational efficiency - virtually eliminating the need for dedicated resources to perform updates, monitor systems, and resolve incidents.”*

- Roland Schiller  
Architect  
Swiss Re

## Comprehensive System Management

Oracle Enterprise Manager uses a holistic approach to manage the Exadata Database Machine and provides comprehensive capabilities from monitoring and reporting to active lifecycle management. It enables:

- **Unified Monitoring:** Oracle Enterprise Manager 13c **uniquely** supports a single pane of glass view of all the hardware and software components such as database servers, storage servers, InfiniBand switches, and monitors the operations running on them and their resource utilization. DBAs can drill down from database monitoring screens to the Exadata storage layer to quickly determine root causes of any performance bottlenecks.
- Lights-out monitoring within Enterprise Manager is optimized for Exadata with predefined metrics and thresholds so that administrators receive timely notifications when issues arise, and manage those exceptions. In addition, hardware incidents are automatically detected and service requests logged to reduce problem resolution time.
- The Exachk tool, which is integrated with Enterprise Manager’s powerful compliance framework, provides functionality for system administrators to automate the assessment of Engineered Systems for known configuration problems and best practices. Administrators can leverage the Consistency Check functionality to check for deviations in configuration across the racks or among the database servers of a rack.
- Exadata’s built in Management Server (MS) processes constantly monitor the health of hardware and software components, and send alerts to both administrators and Oracle support when faulty components are detected.

## Highest Level of Service

Oracle offers a complete set of support services for the Exadata family of products including: 24x7 hardware service, system monitoring, software installation and configuration among other standard and custom offerings.

Of particular value is **Oracle Platinum Services** that is available exclusively for Oracle’s Engineered Systems. Platinum Services provides fault monitoring, faster response times, and expedited escalation to development. With Platinum Services, Oracle support engineers perform software maintenance and patching remotely. Platinum Services provides a higher level of support than has ever been available before for all software and hardware within an Engineered System including the Oracle Database. Platinum Services is provided at no extra charge to Exadata customers.

*“We’ve seen system performance increase 4x and the total cost of storage ownership fall by 30%, even as our data volumes have surged.”*

- Holger Haun  
Managing Director  
IDS GmbH – Analysis and Reporting  
Service

## IT Agility

Exadata is a complete system for running databases including storage, servers, and internal networks. Management of a traditional database system is typically spread across the management teams of each of the components such as the database team, the storage team, and the system administration team. In contrast, an **Exadata system is typically managed by a unified Database Machine Administration (DMA) team.** Database Machine Administrators have full control of all resources in the Exadata Database Machine including storage resources. New database deployments and configuration changes can be implemented by the Database Machine Administrators without coordination across different component management teams that are often overloaded and have differing priorities. Database Machine Administrators can focus on

*“On an annual basis Exadata provides at least half a million dollars in savings in operating costs.”*

- James Callaghan  
Chief Technologist  
Westjet

application and business specific enhancements rather than coordinating across component teams, or tuning and triaging of low level configuration issues.

## Dramatically Lower Costs

Because of the extreme performance, high storage capacity, and unique compression capabilities delivered by the Exadata Database Machine, workloads that would require very large traditional hardware systems can be run on much smaller Exadata systems. The hardware needed for an application deployed on an Exadata system is often reduced 2-4X compared to a traditional system.

Exadata provides a huge RAM, flash, and disk footprint for large data sets. Raw disk storage on an Exadata full rack can exceed 2.1 Petabytes while raw flash storage can be up to 920 TB. In addition, Hybrid Columnar Compression often expands storage and memory capacity 10X. By intelligently moving active data across disk, flash, and memory tiers, Exadata simultaneously delivers the highest performance and the lowest cost.

Exadata has the **unique** ability to consolidate many databases supporting multiple workloads in a single cloud platform. High-end OLTP, analytics, batch, reporting, and backups can all run simultaneously within and across databases with extreme performance. **The extreme performance and capacity of Exadata enables very large numbers of databases and workloads to be consolidated on Exadata.** Consolidating databases on Exadata reduces system hardware cost, software cost, and greatly reduces ongoing operations cost.


The uniformity of Exadata Database Machine configurations results in large cost savings. **Exadata standardizes not just technologies, but also integration, testing, security, hardening, tuning, and support.** Customers deploy Exadata systems much faster and with a lot less labor than traditional systems. Low level tuning, integration, and maintenance is reduced or eliminated. Because all Exadata users run a configuration that is identical to thousands of other users, and is identical to Oracle’s internal configurations, it is far less likely that issues will be encountered, and issue resolution is quicker and simpler reducing both operations cost and downtime cost.

## Capacity-on-Demand Software Licensing

An X7-2 database server has a substantial amount of compute capacity with two 24-core x86 processors (48 cores in total). The Capacity-on-Demand feature allows a number of cores per database server to be turned off during the hardware installation, leaving at least 14 cores enabled. As your workload grows and more cores are needed, Capacity-on-Demand can be used to re-enable cores and license software 2 cores at a time. This pay-as-you-grow approach to software licensing is another way in which Exadata helps to align costs with business growth.

## Exadata in Oracle Public Cloud

With Oracle Database Exadata Cloud Service, customers can now run Oracle databases in the cloud on Exadata, with the same extreme performance and availability experienced by thousands of organizations deploying Exadata on-premises. Exadata Cloud Service combines the world’s #1 database – Oracle, and the most powerful



database platform – Exadata, with all the simplicity and cost effectiveness of the public cloud.

Oracle databases deployed in the cloud as part of this service include **all Oracle Database options and features** – such as Oracle Multitenant, In-Memory Database, Real Application Clusters (RAC), Active Data Guard, Partitioning, Advanced Compression, Advanced Security, etc. It also includes all Oracle Enterprise Manager packs. Oracle databases deployed in the Exadata Cloud Service are **100% compatible** with those deployed on-premises, ensuring a smooth transition to the cloud, and an efficient hybrid cloud strategy. With pay-as you-grow dedicated Exadata configurations, and infrastructure managed by Oracle experts, Exadata Cloud Service enables business agility and operational flexibility with **zero CapEx**.

To commence an Exadata Cloud Service, customers log in through **Oracle Cloud Portal** (<https://cloud.oracle.com>) and activate the Exadata configuration allocated and dedicated for them. They can start with a Quarter Rack with 2 database servers and 3 storage servers. The database servers have a minimum and maximum number of compute cores (OCPUs) that can be enabled for the chosen configuration, and customers can specify their desired number of compute cores within these limits. Customers subscribe to the Exadata service for a specified term, and the pricing is based on the number of enabled compute cores for that term. As business grows, customers can enable additional compute cores, or opt for larger Exadata configurations, thus paying only for the processing power that is required. Compute cores can be expanded and shrunk online to immediately adapt to peak or unexpected workloads.

Once the Exadata Service is activated, customers can start creating databases on the allocated Exadata system. Customers have root privilege for the Exadata database server VMs and DBA password on the Oracle Databases, so they can configure the system and create/deploy databases as they like, and load additional agent software on the Exadata database servers to conform to business standards or security monitoring requirements. They can connect to the configured databases using standard Oracle Net Services clients such as JDBC and OCI. Customers can also deploy their applications within Oracle Public Cloud infrastructure, using cloud offerings such as Oracle Cloud Infrastructure or Oracle Java Cloud Service.

Customers perform their own database administration tasks, using the familiar Oracle Enterprise Manager interface. All supporting infrastructure for Exadata Cloud Service is deployed, maintained and managed by Oracle, including datacenter networking, private Exadata InfiniBand networks, physical Exadata database and storage servers, firmware, and Exadata storage software. This allows customers to focus on their business needs and application requirements, and not IT infrastructure management.

Exadata Cloud Service is an ideal fit for:

- Running business-critical production OLTP or analytic databases at almost any scale without incurring the capital expenditure and complexity of maintaining the underlying IT infrastructure.
- Consolidating a variety of workloads in the Cloud using multiple Oracle Databases or Oracle Multitenant.



- Maintaining synchronized Oracle standby or replica databases for disaster recovery in the Cloud and/or query offloading using Oracle Active Data Guard or Oracle GoldenGate.
- Quickly provisioning high-performance Oracle databases for ad-hoc business reasons such as feature development, functionality testing, application certification, proof-of-concept, try-before-buy, Database 12c sandbox testing, etc.
- Executing time-sensitive business applications such as launching a web-based marketing campaign, running loyalty programs, rolling out new business initiatives, etc.

An attractive aspect of all these use cases for existing Oracle Database customers is that their applications and data models **do not have to change**. Their data center simply expands to include the elasticity and flexibility of the Oracle Cloud. They also do not have to invest in multiple cloud platforms for multiple workloads since Exadata provides a unified platform for all workloads – analytics, data warehousing, OLTP, consolidation, in-memory and mixed-workloads.

With a database platform **uniquely** engineered for extreme performance for all workloads, along with fast deployment, simplified management, low operating costs and reduced risks, Exadata Cloud Service is the best Cloud Database platform available today.

Customers that are not able to move their databases to the Public Cloud can get the Oracle Public Cloud implemented in their own data center using the Oracle Database Exadata Cloud at Customer. Exadata Cloud at Customer:

- Is paid for using subscription based pricing that includes all Database and Exadata software, all Exadata hardware, and remote operation and infrastructure management by Oracle.
- Includes the same Web and REST based DB and OS provisioning, management, and orchestration as the Oracle Public Cloud.
- The Oracle Cloud Operations Team Manages the Exadata Infrastructure including Servers, storage, storage software, networking, firmware, hypervisor, etc.
- Exadata is the only platform suitable for deploying Mission Critical databases using Cloud at Customer.

## Exadata Business Benefits

Beyond the operational benefits of extreme performance, availability, and security, and deployment flexibilities across on-premises and Cloud, Exadata also directly benefits the business.

**Exadata accelerates time to market** for new business applications since the time needed for system configuration, tuning, and testing is largely eliminated. Deployment times are reduced from months to days, and the risk of unexpected system level issues after go-live is greatly reduced. When a new application is deployed, it is common for unanticipated application usage patterns to create performance issues. Exadata's huge I/O, network, and compute throughput can absorb spikes created by unanticipated

workloads without slowing response times of mission critical workloads. Overall Exadata speeds application deployment and reduces risk, allowing businesses to innovate faster.

Exadata's extreme performance and large memory and flash capacity enhance employee productivity and customer satisfaction by greatly improving user response times. **Users spend more time doing useful work, and less time waiting** for the system to respond.

Exadata's extreme performance does not just improve business efficiency, it also **enables business users to make smarter decisions, discover growth opportunities, and reduce costs**. Users can analyze data in real-time, explore different possibilities, and perform rapid iteration to find better solutions. Exadata enables:

- Real-time business data analysis
- Faster financial closes
- Better planning and budgeting
- More effective and faster projections

## Conclusion

Exadata delivers a fully integrated database platform with the latest hardware technologies and **unique** software to deliver extreme performance, availability, and security. This coupled with cost savings, ease of management, and enhanced supportability result in greater business agility and efficiency. Given what can be achieved with Exadata, it is no surprise it is the new global standard for running Oracle Databases – **whether on-premises, or in the Oracle Public Cloud**.

**EXADATA SERVER HARDWARE<sup>1</sup>**

Server Type	CPU	Memory	Disk	Flash	Network
Database Server	2x 24-core Xeon 8160 processors (2.1 GHz)	384 GB (default) to 1.5 TB (max)	4x 600 GB 10,000 RPM disks (Hot-Swappable) – Expandable to 8	None	2x 1/10 Gb copper Ethernet ports (client) OR 2 x10/25 Gb optical Ethernet port 1x 1/10 Gb copper Ethernet port (mgmt) 2x 10/25 Gb optical Ethernet ports (client) 2x QDR (40 Gb) InfiniBand ports 1x ILOM Ethernet port 4x 10 Gb copper (client – optional)
Storage Server HC	2x 10-core Xeon 4114 processors (2.0 GHz)	192 GB	12x 10 TB 7,200 RPM disks	4x 6.4 TB NVMe PCIe 3.0 flash cards	2x QDR (40 Gb) InfiniBand ports 1x ILOM Ethernet port
Storage Server EF		192 GB	None	8x 6.4 TB NVMe PCIe 3.0 flash drives	

<sup>1</sup> All servers include redundant hot swappable fans and power supplies

**EXADATA TYPICAL RACK CONFIGURATIONS<sup>2</sup>**

Rack Size	Database Servers and Cores	Storage Servers and Cores	HC Storage Capacity (raw)	EF Storage Capacity (raw)
Eighth Rack	2x servers, 48 cores	3x servers, 30 cores for SQL offload	180 TB disk, 38.4 TB flash	76.8 TB flash
Quarter Rack	2x servers, 96 cores	3x servers, 60 cores for SQL offload	360 TB disk, 76.8 TB flash	153.6 TB flash
Half Rack	4x servers, 192 cores	7x servers, 140 cores for SQL offload	840 TB disk, 179.2 TB flash	358.4 TB flash
Full Rack	8x servers, 384 cores	14x servers, 280 cores for SQL offload	1,680 TB disk, 358.4 TB flash	716.8 TB flash

<sup>2</sup> Each rack is 42 RU (Rack Units) in height, has 2x redundant Power Distribution Units (PDUs), 2x 36-port QDR (40 Gb/s) InfiniBand switches and 1x 48-port Cisco Ethernet switch for administration. Included Spare Parts Kit Contains:

- 1 x 6.4 TB NVMe PCI Flash card and 1 x 10 TB High Capacity disk, or
- 1 x 6.4 TB NVMe PCI Flash card

<sup>3</sup> Eighth Rack is the minimum Exadata configuration. Eighth Rack compute servers have half the cores enabled. Eighth Rack EF storage servers have half the cores and flash drives enabled. Eighth Rack HC storage servers have half the cores enabled and half the disks and flash cards removed. The optional NIC is not available for the Eighth Rack.

**EXADATA ELASTIC CONFIGURATIONS<sup>4</sup>**

Rack Size	Database Servers and Cores	Storage Servers and Cores	HC Storage Capacity (raw)	EF Storage Capacity (raw)
Base Rack (Quarter Rack)	2x servers, 96 cores	3x servers, 60 cores for SQL offload	360 TB disk, 76.8 TB flash	153.6 TB flash
+ Database Servers	Up to 19x servers <sup>5</sup> , 912 cores max per rack	n/a	n/a	n/a
+ Storage Servers	n/a	Up to 18x servers <sup>5</sup> , 360 cores max per rack	2,160 TB disk, 460.8 TB flash max per rack	921.6 TB flash max per rack

<sup>4</sup> Elastic configurations allow adding database or storage servers to a quarter rack to achieve the exact ratio of compute to storage that the application needs. A full rack elastic configuration cannot exceed 22 servers and 39 RU (Rack Units). Database Servers = 1 RU, Storage Servers = 2 RU

<sup>5</sup> Maximum number of database servers allowed in an elastic configuration is 19. Maximum number of storage servers allowed in an elastic configuration is 18.

**OTHER ELASTIC EXPANSION OPTIONS**

Multi-Rack Connection	Connect any combination of up to 18 Exadata Database Machine racks or Exadata Storage Expansion Racks via the InfiniBand fabric. Larger configurations can be built with external InfiniBand switches. Connected racks can be any combination of X2, X3, X4, X5, X6 or X7 hardware.
Eighth Rack to Quarter Rack Upgrade	Upgradability: Field upgrade from Eighth Rack to Quarter Rack. Expand just compute or just storage or both. Additional Hardware Components are enabled/installed with the Upgrade: <ul style="list-style-type: none"> <li>• For each Database Server: Twenty four additional cores are installed,</li> <li>• For each EF Storage Server: Ten additional cores and four PCI Flash drives are installed</li> <li>• For each HC Storage Server: Ten additional cores are enabled, six disks and two PCI Flash Cache cards are installed.</li> </ul>

## EXADATA CAPACITY AND PERFORMANCE METRICS: INDIVIDUAL SERVERS

Server Type	Maximum SQL Flash Bandwidth <sup>2</sup>	Maximum SQL Read IOPS <sup>3</sup>	Maximum SQL Write IOPS <sup>4</sup>	PCI Flash Capacity (raw) <sup>5</sup>	Disk Data Capacity(raw)
Database Server	NA	597,500	544,000	NA	2.4 TB
Storage Server HC <sup>1</sup>	25 GB/s	475,000	420,000	25.6 TB	120 TB
Storage Server EF <sup>1</sup>	25 GB/s	498,000	450,000	51.2 TB	N/A

## EXADATA TYPICAL RACK CONFIGURATIONS: FLASH CAPACITY AND PERFORMANCE METRICS (HC &amp; EF)

Flash Metrics		Maximum SQL Flash Bandwidth	Maximum SQL Flash Read IOPS	Maximum SQL Flash Write IOPS	PCI Flash Capacity (raw)
Full Rack	HC	350 GB/s	4,776,000	4,352,000	358.4TB
	EF	350 GB/s	4,776,000	4,352,000	716.8 TB
Half Rack	HC	175 GB/s	2,388,000	2,176,000	179.2 TB
	EF	175 GB/s	2,388,000	2,176,000	358.4 TB
Quarter Rack	HC	75 GB/s	1,194,000	1,088,000	76.8 TB
	EF	75 GB/s	1,194,000	1,088,000	179.2 TB
Eighth Rack	HC	38 GB/s	597,000	544,000	38.4 TB
	EF	38 GB/s	597,000	544,000	76.8 TB

## EXADATA TYPICAL RACK CONFIGURATIONS: DISK CAPACITY AND PERFORMANCE METRICS (HC)

Disk Metrics	Maximum SQL Disk Bandwidth	Maximum SQL Disk IOPS	Data Capacity (raw)
Full Rack	25 GB/s	36,000	1,680 TB
Half Rack	12.5 GB/s	18,000	840 TB
Quarter Rack	5.4 GB/s	7,800	360 TB
Eighth Rack	2.7 GB/s	3,900	180 TB

## EXADATA TYPICAL RACK CONFIGURATIONS: COMBINED METRICS (HC &amp; EF)

Combined Metrics		Data Capacity (Usable) – Normal Redundancy <sup>6</sup>	Data Capacity (Usable) – High Redundancy <sup>6</sup>	Maximum Data Load Rate <sup>7</sup>
Full Rack	HC	636 TB	499 TB	35 TB/hour
	EF	263 TB	206 TB	35 TB/hour
Half Rack	HC	318 TB	250 TB	17.5 TB/hour
	EF	132 TB	103 TB	17.5 TB/hour
Quarter Rack	HC	136 TB	107 TB	7.5 TB/hour
	EF	56 TB	44 TB	7.5 TB/hour
Eighth Rack	HC	68 TB	53 TB	3.75 TB/hour
	EF	28 TB	22 TB	3.75 TB/hour

<sup>1</sup>HC = High Capacity EF = Extreme Flash. Actual system performance varies by application.

<sup>2</sup> Bandwidth is peak physical scan bandwidth achieved running SQL, assuming no database compression. Effective user data bandwidth is higher when database compression is used.

<sup>3</sup> Based on 8K I/O requests running SQL. Note that the I/O size greatly affects Flash IOPS. Other products quote IOPS based on smaller IOs that are not relevant for databases.

<sup>4</sup> Based on 8K I/O requests running SQL. Flash write I/Os measured at the storage servers after ASM mirroring, which usually issues multiple storage IOs to maintain redundancy.

<sup>5</sup> Raw capacity is measured in standard disk drive terminology with 1 GB = 1 billion bytes.

<sup>6</sup> Usable capacity is measured using normal powers of 2 space terminology with 1 TB = 1024 \* 1024 \* 1024 \* 1024 bytes. It is the actual space available to create a database after taking into account space needed for ASM redundancy, recovering from a drive failure, DBFS disk group, and OS images and binaries.

<sup>7</sup> Load rates are typically limited by database server CPU, not IO. Rates vary based on load method, indexes, data types, compression, and partitioning.

**EXADATA DATABASE MACHINE COMPONENT ENVIRONMENTAL SPECIFICATIONS**

Metric	X7-2 Database Server Plus InfiniBand Infrastructure	X7-2 High Capacity Storage Server Plus InfiniBand Infrastructure	X7-2 Extreme Flash Storage Server Plus InfiniBand Infrastructure
Height	1.7 in. (42.6 mm)	3.4 in. (86.9 mm)	
Width	17.2 in. (436.5 mm)	17.5 in. (445.0 mm)	
Depth	29.0 in. (737.0 mm)	29.9 in. (759.0 mm)	
Acoustic noise (operating)	7.7 B	8.2 B	8.2 B
Weight	45.6 lbs (20.7 kgs)	75.9 lbs (34.4 kgs)	60.6 lbs (27.5 kgs)
Maximum power usage	0.8 kW (0.8 kVA)	0.6 kW (0.6 kVA)	0.6 kW (0.6 kVA)
Typical power usage <sup>1</sup>	0.5 kW (0.6 kVA)	0.4 kW (0.4 kVA)	0.4 kW (0.5 kVA)
Cooling at maximum usage	2,631 BTU/hour (2,775 kJ/hour)	2,146 BTU/hour (2,264 kJ/hour)	2,167 BTU/hour (2,286 kJ/hour)
Cooling at typical usage	1,842 BTU/hour (1,943 kJ/hour)	1,502 BTU/hour (1,585 kJ/hour)	1,517 BTU/hour (1,600 kJ/hour)
Airflow at maximum usage <sup>2</sup>	122 CFM	99 CFM	100 CFM
Airflow at typical usage <sup>2</sup>	85 CFM	70 CFM	70 CFM

Operating temperature/humidity: 5 °C to 32 °C (41 °F to 89.6 °F), as measured by an industry grade temperature measurement device directed at the front bezel of the servers, 10% to 90% relative humidity, non-condensing

Altitude Operating: Up to 3,048 m, max. ambient temperature is de-rated by 1° C per 300 m above 900 m

<sup>1</sup> Typical power usage varies by application load

<sup>2</sup> Airflow must be front-to-back.

**EXADATA DATABASE MACHINE ENVIRONMENTAL SPECIFICATIONS**

Metric	Full Rack	Half Rack	Quarter Rack	Eighth Rack
Height	<ul style="list-style-type: none"> <li>• 78.74" - 2000 mm</li> <li>• 23.66" - 601 mm</li> <li>• 47.13" - 1197 mm</li> </ul>			
Width				
Depth				
Acoustic noise (operating)	9.4 B	9.2 B	8.8 B	8.8 B

**Environmentals With High Capacity Disks**

Weight	2011.4 lbs (912.4 kg)	1296.7 lb (588.2 kg)	910.9 lbs (413.2 kg)	882.2 lbs (400.1 kg)
Maximum power usage	15.9 kW (16.2 kVA)	8.4 kW (8.6 kVA)	4.3 kW (4.4 kVA)	3.5 kW (3.6 kVA)
Typical power usage <sup>1</sup>	11.1 kW (11.3 kVA)	5.9 kW (6.0 kVA)	3.0 kW (3.1 kVA)	2.5 kW (2.5 kVA)
Cooling at maximum usage	54,216 BTU/hour 57,197 kJ/hour	28,669 BTU/hour 30,246 kJ/hour	14,822 BTU/hour 15,638 kJ/hour	12,096 BTU/hour 12,761 kJ/hour
Cooling at typical usage	37,951 BTU/hour 40,038 kJ/hour	20,068 BTU/hour 21,172 kJ/hour	10,376 BTU/hour 10,946 kJ/hour	8,467 BTU/hour 8,933 kJ/hour
Airflow at maximum usage <sup>2</sup>	2510 CFM	1327 CFM	686 CFM	560 CFM
Airflow at typical usage <sup>2</sup>	1757 CFM	929 CFM	480 CFM	392 CFM

**Environmentals With Extreme Flash Drives**

Weight	1797.2 lbs (815.2 kg)	1189.6 lbs (539.6 kg)	865 lbs (392.4 kg)	732.9 lbs (332.4 kg)
Maximum power usage	16.0 kW (16.3 kVA)	8.4 kW (8.6 kVA)	4.4 kW (4.4 kVA)	3.6 kW (3.6 kVA)
Typical power usage <sup>1</sup>	11.2 kW (11.4 kVA)	5.9 kW (6.0 kVA)	3.1 kW (3.1 kVA)	2.5 kW (2.6 kVA)
Cooling at maximum usage	54,502 BTU/hour 57,500 kJ/hour	28,812 BTU/hour 30,397 kJ/hour	14,884 BTU/hour 15,702 kJ/hour	12,206 BTU/hour 12,878 kJ/hour
Cooling at typical usage	38,151 BTU/hour 40,250 kJ/hour	20,168 BTU/hour 21,278 kJ/hour	10,419 BTU/hour 10,992 kJ/hour	8,544 BTU/hour 9,014 kJ/hour
Airflow at maximum usage <sup>2</sup>	2523 CFM	1334 CFM	689 CFM	565 CFM
Airflow at typical usage <sup>2</sup>	1766 CFM	934 CFM	482 CFM	396 CFM

Operating temperature/humidity: 5 °C to 32 °C (41 °F to 89.6 °F), as measured by an industry grade temperature measurement device directed at the front bezel of the servers 10% to 90% relative humidity, non-condensing

Altitude Operating: Up to 3,048 m, max. ambient temperature is de-rated by 1° C per 300 m above 900 m

<sup>1</sup> Typical power usage varies by application load.

<sup>2</sup> Airflow must be front-to-back.

**EXADATA DATABASE MACHINE X7-2 REGULATIONS AND CERTIFICATIONS**

Regulations <sup>1</sup>	<b>Safety:</b>	UL/CSA 60950-1, EN 60950-1, IEC 60950-1 CB Scheme with all country differences
	<b>RFI/EMI:</b>	EN55032, EN61000-3-11, EN61000-3-12
	<b>Immunity:</b>	EN 55024
	<b>Emissions and Immunity:</b>	EN300 386
Certifications <sup>1</sup>	North America (NRTL), European Union (EU), International CB Scheme, BSMI (Taiwan), C-Tick (Australia), CCC (PRC), MSIP (Korea), CU EAC (Customs Union), VCCI (Japan)	
European Union Directives <sup>1</sup>	2014/30/EU Low Voltage Directive, 2014/30/EU EMC Directive, 2011/65/EU RoHS Directive, 2012/19/EU WEEE Directive	

<sup>1</sup>All standards and certifications referenced are to the latest official version at the time the data sheet was written. Other country regulations/certifications may apply. In some cases, as applicable, regulatory and certification compliance were obtained at the component level.

## **EXADATA DATABASE MACHINE SUPPORT SERVICES**

---

- *Hardware Warranty: 1 year with a 4 hr web/phone response during normal business hours (Mon-Fri 8AM-5PM), with 2 business day on-site response/Parts Exchange*
  - *Oracle Premier Support for Systems includes Oracle Linux support and 24x7 with 2 hour on-site hardware service response (subject to proximity to service center)*
  - *Oracle Premier Support for Operating Systems*
  - *Oracle Customer Data and Device Retention*
  - *System Installation Services*
  - *Software Configuration Services*
  - *Oracle Platinum Services*
  - *Business Critical Service for Systems*
  - *Oracle Exadata Start-Up Pack*
  - *System Upgrade Support Services including hardware installation and software configuration*
  - *Oracle Auto Service Request (ASR)*
- 

## **OPTIONAL CUSTOMER SUPPLIED ETHERNET SWITCH INSTALLATION IN EXADATA DATABASE MACHINE X7-2**

---

- *Each Exadata Database Machine X7-2 rack has 2U available at the top of the rack that can be used by customers to optionally install their own client network Ethernet switches in the Exadata rack instead of in a separate rack. Some space, power, and cooling restrictions apply.*
-

### **Exadata and Database Software Features - Analytics**

- *Unique Automatic Parallelization and Offload of Data Scans to storage*
  - *Unique Filtering of Rows in Storage based on 'where' clause*
  - *Unique Filtering of Rows in Storage based on columns selected*
  - *Unique Storage Offload of JSON and XML Analytic Queries*
  - *Unique Filtering of rows in Storage based on Join with other Table*
  - *Unique Hybrid Columnar Compression*
  - *Unique Storage Index Data Skipping*
  - *Unique I/O Resource Management by User, Query, Service, DB, etc.*
  - *Unique Automatic Transformation to Columnar Format in Flash Cache*
  - *Unique Smart Flash Caching for Table Scans*
  - *Unique Storage Offload of Index Fast Full Scans*
  - *Unique Storage Offloads of Scans on Encrypted Data, with FIPS compliance*
  - *Unique Storage offload for LOBs and CLOBs*
  - *Unique Storage offload for min/max operations*
  - *Unique Data Mining Offload to Storage*
  - *Unique Intelligent Routing Across All InfiniBand Ports and Links to Minimize Congestion*
  - *Unique Reverse Offload to DB servers if Storage CPUs are Busy*
  - *Unique Automatic Data Columnarization in Flash Cache*
  - *Unique Automatic Conversion of Data to In-Memory Formats when Loading into Flash Cache*
- 

### **Exadata and Database Software Features - OLTP**

- *Unique Database Aware PCI Flash*
  - *Unique Exadata Smart Flash Caching*
  - *Unique Exadata Smart Flash Logging*
  - *Unique Smart Write-back Flash Cache*
  - *Unique I/O Prioritization by DB, User, or workload to ensure QOS*
  - *Unique Exafusion Direct-to-Wire Protocol*
  - *Unique Database Intelligent Network Resource Management*
  - *Unique Exachk full-stack validation*
  - *Unique Full-stack security scanning*
  - *Unique Database scoped security*
  - *Unique Cell-to-Cell Rebalance preserving Flash Cache and Storage Index*
  - *Unique Full-Stack Secure Erase*
  - *Unique Oracle VM with InfiniBand SRIOV*
  - *Unique Automated InfiniBand Partitioning for Workload Isolation*
  - *Unique Instant Data File Creation*
  - *Unique Smart Fusion Block Transfer*
  - *Unique Control of Flash Cache Size per Database*
  - *Unique In-Memory OLTP Acceleration*
  - *Unique Undo-Block Remote RDMA Read*
  - *Unique Support for More Than 252 Pluggable Databases with Multitenant Option*
- 

### **Exadata and Database Software Features - High Availability**

- *Unique Instant Detection of Node or Cell Failure*
  - *Unique In-Memory Fault Tolerance*
  - *Unique Sub-second Failover of I/O on stuck disk or flash*
  - *Unique Offload backups to storage servers*
  - *Unique Exadata Data Validation (extended H.A.R.D.)*
  - *Unique Prioritize Recovery of Critical Database Files*
  - *Unique Automatic Repair of Corrupt Disk Data By Reading Other Storage Servers*
  - *Unique Avoidance of Read IOs on Predictive failed disks*
  - *Unique Confinement and power cycle of temporarily poor performing drives*
  - *Unique Shutdown Prevention If Mirror Storage Server is Down*
  - *Unique Detection and Disabling of Unreliable Network Links*
  - *Unique Preservation of Storage Index on Rebalance*
-



### **Manageability Features**

- *Oracle Embedded Integrated Lights Out Manager (ILOM)*
  - *Oracle Enterprise Manager Exadata Plug-in*
  - *Unique Active AWR includes storage stats for end to end monitoring*
  - *IPv6 Support for Ethernet Connections*
  - *Capacity on Demand*
  - **Cell software transparent restart**
  - **Flash and disk life cycle management alert**
  - **Automatic Disk Scrub and Repair**
  - *Trusted Partitions for Oracle Virtual Machine*
  - *Automated VLAN Creation*
  - *Oracle Exadata Deployment Assistant*
  - *Separate Management Switch and Connectivity*
  - *Exaccli command line management from remote servers*
  - *Cellcli command line management of Storage Servers*
  - *DCLI distributed command line automation tool*
- 

### **Oracle Database Software (available separately):**

**For database servers:** Oracle Database 11g Release 2 Enterprise Edition and Oracle Database 12c Enterprise Edition Release 1 and 2. Oracle Database Options such as Oracle Real Application Clusters, Oracle Partitioning, Oracle Multitenant, Oracle Active Data Guard. See the release specific documentation for feature support.

**For storage servers:** Oracle Exadata System Software. Licenses are transferable from one system to another, or to a new system

---

### **Oracle Software (included):**

**For database servers:** Oracle Linux 6 Update 7 with the Unbreakable Enterprise Kernel 2. Zero-loss Zero-copy Datagram Protocol (ZDP) InfiniBand protocol used to communicate between the Exadata Storage Servers and the Oracle Database which is based on the Reliable Datagram Sockets (RDS) OpenFabrics Enterprise Distribution (OFED)

---







CONTACT US

For more information about Oracle Exadata, visit [oracle.com/exadata](https://oracle.com/exadata) or call +1.800.ORACLE1 to speak to an Oracle representative.

---

---

CONNECT WITH US

-  [blogs.oracle.com/oracle](https://blogs.oracle.com/oracle)
-  [facebook.com/oracle](https://facebook.com/oracle)
-  [twitter.com/oracle](https://twitter.com/oracle)
-  [oracle.com](https://oracle.com)

## Integrated Cloud Applications & Platform Services

Copyright © 2017, Oracle and/or its affiliates. All rights reserved. This document is provided for information purposes only, and the contents hereof are subject to change without notice. This document is not warranted to be error-free, nor subject to any other warranties or conditions, whether expressed orally or implied in law, including implied warranties and conditions of merchantability or fitness for a particular purpose. We specifically disclaim any liability with respect to this document, and no contractual obligations are formed either directly or indirectly by this document. This document may not be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without our prior written permission.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.



Oracle is committed to developing practices and products that help protect the environment

## ÜBER HUNKLER

Das Karlsruher Systemhaus HUNKLER wurde 1988 erster offizieller Partner von Oracle in Deutschland. Ein Team von rund 20 Mitarbeitern unterstützt Kunden aus Industrie, öffentlicher Verwaltung, Gesundheits- und Finanzwesen mit Beratung, Lösungsentwicklung und Managed Services.

Im Fokus von HUNKLER stehen leistungsfähige, wirtschaftliche Infrastrukturen für Oracle-datenbanken mit den Schwerpunkten Hochverfügbarkeit, Ausfallsicherheit und Zero Downtime Migration. Die integrierten Komplettlösungen der Produktfamilie Oracle Engineered Systems sowie der Datenbank-/Anwendungsbetrieb in der Oracle Cloud sind weitere Themenfelder, die das Unternehmen umfassend abdeckt.

**HUNKLER**  
GmbH & Co. KG

### **Hauptsitz Karlsruhe**

Bannwaldallee 32, 76185 Karlsruhe  
Tel. 0721-490 16-0, Fax 0721-490 16-29

### **Geschäftsstelle Bodensee**

Fritz-Reichle-Ring 6a  
78315 Radolfzell  
Tel. 07732-939 14-00, Fax 07732-939 14-04  
**info@hunkler.de, www.hunkler.de**